ISSN: 2582 - 6379
Orange Publications
International Journal for Interdisciplinary Sciences and Engineering Applications
IJISEA - An International Peer- Reviewed Journal
2023, January, Volume 4 Issue 1
www.ijisea.org

10T Monitoring and Automation System in Agriculture Fields

Santhoshi Kanagala
Department of Electrical Engineering Ibra College of Technology
North Al Sharqiya, PC 400, Muscat, Oman

ABSTRACT

Agriculture sector in the world is diminishing day by day which affects the production capacity of ecosystem. There is an exigent need to solve the problem in the domain to restore vibrancy and put it back on higher growth. The paper proposes an e-Agriculture Application based on the framework consisting of KM-Knowledge base and Monitoring modules. To make profitable decisions, farmers need information throughout the entire farming cycle. The required information is scattered in various places which includes real time information such as market prices and current production level stats along with the available primary crop knowledge. A knowledge dataflow model is constructed connecting various scattered sources to the crop structures. The world around is getting automated replacing manual procedures with the advancement of technology, since it is energy efficient and engross minimal man power. The paper proposes the advantages of having ICT in world agricultural sector, which shows the path for rural farmers to replace some of the conventional techniques. Monitoring modules are demonstrated using various sensors for which the inputs are fed from Knowledge base. A prototype of the mechanism is carried out using Tl CC3200 Launchpad interconnected sensors modules with other necessary electronic devices. A comparative study is made between the developed system and the existing systems. The system overcomes limitations of traditional agricultural procedures by utilizing water resource efficiently and also reducing labour cost.

Keywords: Agriculture, IOT, 'CT, sensors, retrofitting techniques

I. INTRODUCTION

Farmers need agricultural information and pertinent knowledge to make knowledgeable decisions and to satisfy informational needs. In agriculture domain through the development of a knowledge management system, enquiries of farmers can be answered with the help of multimedia which is easily accessible. The application of Information and Communication Technology (ICT) has proven for widening the opportunities to promote agriculture on several aspects and domains in developing countries. Technology has crossed hurdles by using wireless technology, networking, mobile etc. to overcome the utilisation of energy, power and cost consuming equipments which was helpful in the agricultural development. The development of ICT in various domains has driven substantial interest in rising investments by private sectors towards the growth of ICT in Agricultural research (Fredrick Awuor et al., 2013).At present, the key issue in the current domain is utilisation of resources like man-power and water which is lacking in many parts of the country. There have not been any ignificant technological advancements being made in agricultural sector as compared to other sectors. Agricultural system needs to be monitored on a regular basis. The use of the developed framework is to reduce wastage by automating the entire agricultural system.

II. SYSTEM DESIGN AND REALIZATION

Data collection, monitoring and evaluation of the system results in determining which approach is effective and where these adaptations are most needed. Therefore, ICT engaged interventions in agricultural sector are more productive than the conventional methods.

ISSN: 2582 - 6379
Orange Publications
International Journal for Interdisciplinary Sciences and Engineering Applications
IJISEA - An International Peer- Reviewed Journal
2023, January, Volume 4 Issue 1
www.ijisea.org

Technical and financial aids are vital need for the farmers to become adapt inclusive and effective method. These challenges can be addressed by ICT based information dissemination models to share knowledge improving productivity, social and environmental sustainability of farmer and farmer communities. The main sections of the architecture llustrated as knowledge base and monitoring system. Here, the main sections are elucidated in brief.

1. Knowledge Base:

Knowledge Base is constructed to store vast complex structured and unstructured information to assist farmers or even an individual with no prior knowledge of farming. But finding right information in an appropriate manner is difficult where providing relevant knowledge should be distributed not only in an organised and complete manner, but also in absolute way. The knowledge based infrastructure allows adapting the changes in agriculture for a better xtension and adding advisory services.

2. Realized Inputs:

Knowledge base contains information modules about farming techniques, market information, Crop structure and geospatial data. Farming techniques include the best practices in farming to attain maximum yield and comprises of pest and disease controls added with phase based farming methods. Market information nclude various cost info's, sellers, dealers, warehouses, funds, credits, dedicated website, call centres, E-learning and market availability.

Crop structure encompasses information about crop breed, crop factors, pest, disease information and soil nutrient requirements. The geospatial data is used to import the weather details and water table content helping farmers choosing their best suitable crop. It is also used for setting Field Map according to the location set by the farmer.

3. Knowledge Acquisition:

Knowledge acquisition primarily refers to the process of obtaining, analysing, comprehending, and recalling information through the best of many existing reliable methods. Here, knowledge is acquired from reliable sources by establishing a model integrating farmers, agriculture agencies, Ministry of agriculture, Agricultural Universities and institutions along with Rest API services.

4. Knowledge Flow:

Crop Data Flow model is used for representing knowledge flow in a conceptualised network and to provide optimal information for adapting the changing climatic condition. The data flow module explains how the data flows from one module to another and it as well as explains how each module are interconnected. Fig. 2. depicts the working flow of the developed system at various phases.




Figure 1 : Shows Knowledge acquisition model comprising crop structure

ISSN: 2582 - 6379
Orange Publications
International Journal for Interdisciplinary Sciences and Engineering Applications
IJISEA - An International Peer- Reviewed Journal
2023, January, Volume 4 Issue 1
www.ijisea.org




Figure 2: Shows Knowledge flow model of the Application

III. Ill.MONlTORlNG INTERFACE

1. Hardware Requirements:

Tl CC3200 Launchpad and Arduino UNO board with Ethernet Shield is used to implement the monitoring modules.The following sensors and other peripherals are used to collect real time data from the field:

- DHTII Temperature and Humidity Sensor.
- Soil Moisture Senor (KG003) - Output is high when there is deficit in soil moisture (i.e the field is dry), or output is low. Analog interfacing can be used for accurate output.
- Ball float liquid level Sensor-Output is according to liquid level or ball raise.
- Magnetic Float Sensor for water level indicator- The float sensor is a device used to detect the level of liquid in the tank. Float sensor is an electromagnetic ON/OFF switch.
- BHI 750 Module Digital Light intensity Sensor / LDR resistor.
- A Four Channel Relay Board (5V) for switching ACIDC is used to trigger a AC motor (220V) to operate the valves.
- L293D H Bridge (Wide Supply-Voltage Range: 4.5 V to 36 V) which is a typical motor driver that allows DC motor to drive on either direction.

2. Software Requirements:

Energia MT is an open-source electronics prototyping platform which is a modified version of wiring/Arduino IDE for the Texas Instruments is used to write embedded c code, compile and execute them. 1 6.8, an Arduino programming environment is used for writing code in the Arduino programming language to instruct the Arduino.

Blynk is a Platform with iOS and Android apps to control Arduino, Raspberry Pi and the likes over the Internet. Its a digital dashboard where a graphic interface for any project can be built by simply dragging and dropping widgets.

3. System Architecture:

The Monitoring phase comprises of application's main abilities and functions. From the knowledge base, the user interface is allowed to use decision making system, knowledge assessment on farming, and other systems.

ISSN: 2582 - 6379
Orange Publications
International Journal for Interdisciplinary Sciences and Engineering Applications
IJISEA - An International Peer- Reviewed Journal
2023, January, Volume 4 Issue 1
www.ijisea.org

- Reminder: It is used to remind the farmer on the schedules of reaping, fertilizer spraying, pesticides, and on irrigation timings. It notifies the user on daily basis based on the input parameters from the knowledge base through an automated SMS notification.
- Monitoring Plant Growth: The stages of growth from the knowledge base is used to calculate the corresponding phase of growth. The height of the plant is found out using the mapping outline image of that plant and this height is used to predict whether the plant is meeting the requirement or not.
- Irrigation Planner: It makes a set of plans to irrigate various section of field in a pattern to get profitable yield. It also displays the information from field as dry and irrigated fields as monitoring prospect. Based on the estimation of crop water need, rotational or continuous flow is planned to irrigate the field.
- Crop Profit Calculator: It is used to calculate profit for the farmer by giving inputs on year of growth, selling and retention price.
- Calamities check: The irrigation plan and the field set is changed according to the weather forecast which is acquired from Yahoo weather API. It is also used to monitor unusual activities in the field like immediate firing, etc.
- Problem Identifier: This identifies the problem when there is misdirection in irrigation system, motor problem. It approximately identifies where the problem has occurred. For example, in the case of no power supply, there is no use of giving commands to the peripherals whereas the user should be notified about the power problem.
- Calculation of Water need: The amount of water need for meeting water dissipation through evaporation and transpiration is defined the crop water need (ETC). The crop water need is subjected for a uniform crop, disease free, active having favourable soil conditions. Shortly, Evapotranspiration estimates the total amount of water plants consume for a quality growth corresponding to the local weather condition and phase of the plant cycle.
- Field Dry Check: Similar to the last module it uses soil moisture sensor node, that notifies the user whether the field is dry or not.
- Identify the soil type and soil deficiency: Every soil has its own water holding capacity. On comparing the real time data with predefined sets of values in the knowledge base, soil type can be identified and if the calculated soil capacity differs to a larger extent from the predefined data then it can be said, the soil is deficient.

ISSN: 2582 - 6379
Orange Publications
International Journal for Interdisciplinary Sciences and Engineering Applications
IJISEA - An International Peer- Reviewed Journal
2023, January, Volume 4 Issue 1
www.ijisea.org




Figure 3: Shows Architecture of e-Agriculture Monitoring module

IV. DISCUSSIONS AND CONCLUSIONS

As discussed in Background section, Internet of Things based developed systems are not reliable due to reliance of 3g or Wi-Fi communication modules. Search enquires are not helpful to that extent because it is unable to cope up with farmers poor knowledge and also these are developed to serve particular group crop or region. In the case of user centered ontology, only a set of farmers of that context can gain knowledge whereas it cannot provide all necessary information. Advisory system lacks the procedure oriented approach and cannot construct the complete ridge between farmers and computers. It needs a group of experts working behind to answer the farmers' queries. Here the proposed system overcomes constraints as the automation of this system is programmed to function even in offline mode also. The system can be easily rebuilt or replaced in the worst case scenarios. In the traditional farming methods, water need is not constrained. But the system overcomes the setbacks by calculating the water need using Evapotranspiration which reduces the water usage. The framework designed, instructs the farmers to carry out activities in regular intervals based on the crop life cycle by replacing the existing systems like KB Management, Advisory and Expert Knowledge Systems. Farmers need help during different stages of crop growth and the guidance should be given at the right time. Farmers are suffering a lot economically, socially and politically. Various challenges in agricultural domain are identified and an architecture was framed meeting the above-mentioned challenges. Knowledge base is structured with various crop details which speak about knowledge acquisition, flow, various input like market availability, geospatial data and weather prediction. Monitoring contains modules like remainder, monitoring plant growth in various stages, irrigation planner, crop profit calculator, calamity check and problem identifier. Evapotranspiration method is used to calculate the water need of a plant per day with devised algorithm's help. A comparative study was made between various application available with current developed system taking various aspects into account like knowledge base, monitoring modules, efficiency and reliability.

ISSN: 2582 - 6379
Orange Publications
International Journal for Interdisciplinary Sciences and Engineering Applications
IJISEA - An International Peer- Reviewed Journal
2023, January, Volume 4 Issue 1
www.ijisea.org

REFERENCES:

[1] Fredrick AWIJOR, K K. (2013). ICT Solution Architecture for Agriculture . IST-Africa 2013 Conference Proceedings Paul Cunningham and Miriam Cunningham (Eds) IIMC International Information Management Corporation, 2013. Africa.
[2] Richard K. Lomotey, R. D. (2014). Management of Mobile Data in a Crop Field. 2014 IEEE International Conference on Mobile Services (pp. 100-107). IEEE.
[3] FAO Document repository, Chapter 3- Crop Water needs.
[4] FAO Document repository, Chapter 3- Irrigation Water Needs.
[5] University of Oregon — Solar radiation Basics. http://solardata uoregon.edu/SolarRadiationBasics.html
[6] Xiaoshan Wang, Q. Q. (2011). Design and Realization of Precision Agriculture Information System Based on 5S. IEEE.
[7] Sanjay Chaudharyl, M. B. (2015). Agro Advisory System for Cotton Crop. AGRINETS Workshop, COMSNETS. IEEE.
[8] P. S. B. Barshe and P. D. K. Chitre, "Agricuture System based on OntologyAgroSearch," (IJETAE) International Journal of Emerging Technology and Advanced Engineering, vol. 2, no. 8, 2012.
[9] Jincui Kang, J. G. (2012). Application of Ontology Technology in Agricultural Information Retrieval . 2nd International Conference on Computer and Information Application (ICCIA 2012) (pp. 1183-1186). Atlantis Press, Paris, France.
[10] Susan F. Ellakwa, E.-S. E.-A.-K. (2012). Integrated Ontology for Agricultural Domain. International Journal of Computer Applications (0975 — 8887) Volume 54— No.2, September 2012, 46-53.
[11] Xiangyu Hu, S. Q. (n d.). IOT Application System with Crop Growth Models in Facility Agriculture. IEEE



www.msea.org